

	ENGINEERING AND GENERAL SERVICES DEPARTMENT 276 Fourth Avenue, Chula Vista, CA 91910 Phone: (619) 691-5021 Fax: (619) 691-5171	CONSTRUCTION STORM WATER MANAGEMENT PLAN (CSWMP) GUIDELINES FOR PUBLIC PROJECTS
FORM 5504B		

This form is to accompany all public development and redevelopment contract documents for projects that are not subject to the NPDES General Construction Permit requirements

In order to comply with the Federal Clean Water Act, the State Water Code, and City of Chula Vista Ordinances, the City of Chula Vista requires contractors to complete a Construction Storm Water Management Plan (CSWMP) for Public Projects that are not subject to the NPDES General Construction Permit requirements prior to issuance of a Notice to Proceed with construction.

The purpose of a CSWMP is to document the Best Management Practices (BMPs) that will be implemented to prevent pollutants, including sediment, from entering storm water conveyance systems and receiving waters. The CSWMP becomes a part of the contract and is subject to enforcement by the City and others. CSWMP includes the elements described in the following sections:

Section 1: Required Information

This section is used to provide the City with basic information necessary to evaluate project activities. Each of the items in this section must be completed.

Section 2: Best Management Practices (BMPs)

BMPs must be selected and implemented to prevent erosion, and prevent construction-related materials, sediment, wastes and spills from entering storm water conveyance systems and receiving waters.

Note: It is the responsibility of the contractor to determine the types of BMPs that will be used, as well as the levels of application necessary to comply with the City's Storm Water and Grading Ordinances. Failure to prevent soil erosion and discharges of sediment and other pollutants into the storm water conveyance system from construction sites is subject to enforcement by the City and others. At a minimum, the City requires that the BMPs listed in Table A (attached) be installed and maintained for all projects. Additional BMPs listed in Table B (attached) may also be required, depending on the project's scope, potential for discharges, and proximity to a watercourse or other receiving waters.

Section 3: Certification

The contractor must sign this section certifying that they understand the City's minimum requirements for storm water management of construction activities and will implement, monitor and maintain the selected BMPs to ensure their effectiveness.

Copies of the referenced guidance manuals can be obtained from the web or can be ordered directly from the following sources:

1. Caltrans Manuals can be ordered from Caltrans Publications Unit, Phone (916) 445-3520
2. California Stormwater Quality Association Stormwater BMP Handbook for Construction is available online at: <http://www.cabmphandbooks.com>
3. City of Chula Vista Development Storm Water Manual is available online at: http://www.chulavistaca.gov/City_Services/Development_Services/Engineering/stormWaterManual.asp

Section 1. Required Information

PROJECT INFORMATION

Permit Application Number:	
Project Name:	Grading start date:
Project address or location:	Grading finish date:
APN:	Project start date:
Estimated amount of disturbed acreage:	Project finish date:

CONTACT INFORMATION

Name of Project Contact Person:
Title:
Address:
Phone #:

Section 2: Best Management Practices

The goal of storm water management planning is to reduce pollution to the Maximum Extent Practicable (MEP) by implementing the following five categories of BMPs:

1. Erosion control
2. Velocity reduction
3. Sediment control
4. Offsite sediment tracking control
5. General site and materials management

BMPs from each of the five categories must be used together as a system in order to prevent sediment, wastes, spills, and residues from leaving the site. When properly implemented, monitored, and maintained, BMPs will function to prevent pollutants (including sediment) from leaving the site.

Best Management Practices Tables

Tables A and B (attached) must be used to indicate those BMPs that will be used to prevent storm water pollution. At a minimum, the City requires that the BMPs listed in Table A be installed on all grading and building projects. However, some BMPs may not be applicable to every project. For example, if storm drain inlets are not present, then Storm Drain Inlet Protection (BMP SC10) would not be applicable.

TABLE A REQUIRED MINIMUM CONSTRUCTION BMPs

Minimum Required BMPs	Caltrans Handbook Detail	Check Selected BMPs	If BMP is not selected, explain why.
Step 1 Select erosion control method for graded slopes (choose at least one)			
Vegetation Stabilization Planting (see note 1)	SS-2, SS-4		
Hydraulic Stabilization Hydroseeding (see note 1)	SS-3, SS-4		
Bonded Fiber Matrix (see note 2)	SS-4		
Physical Stabilization Erosion Control Blanket (see note 2)	SS-7		
Step 2 Select erosion control method for graded flat areas (slope < 5%) (choose at least one)			
Will use above erosion control measures on flat areas	SS-2, 3, 4, 7		
Mulch, straw, wood chips, soil application	SS-6, SS-8		
De-silting basin (must treat all site runoff)	SC-2		
Step 3 If runoff is concentrated, velocity must be controlled using energy dissipater			
Energy Dissipater Outlet Protection (see note 3)	SS-10		
Step 4 Select sediment control method for all disturbed areas (choose at least one)			
Silt Fence	SC-1		
Straw Wattles	SC-5		
Gravel Bags	SC-6, SC-8		
Storm Drain Inlet Protection	SC-10		
De-silting Basin (sized for 10-year flow)	SC-2		
Step 5 Select method for preventing offsite tracking of sediment (choose at least one)			
Stabilized Construction Entrance	TC-1		
Construction Road Stabilization	TC-2		
Entrance/Exit Tire Wash	TC-3		
Entrance/Exit Inspection and Cleaning Facility	-		
Step 6 Select the general site management BMPs for each waste that will be on site			
Materials Management, Materials Delivery, and Storage	WM-1		
Concrete Waste Management	WM-8		
Solid Waste Management	WM-5		
Sanitary Waste Management	WM-9		
Hazardous Waste Management	WM-6		
Step 7 General site management			
Employee and Subcontractor Training	-		

Notes:

1. When planting or hydroseeding are selected for erosion control, the vegetative cover must be planted by August 15th and established by October 1st. If in the opinion of the City Official the vegetative cover is not established by October 1st, additional hydraulic or physical erosion control BMPs will be required.
2. These BMPs are temporary measures only when used without planting or hydroseeding and permanent irrigations systems. All slopes must have established vegetative cover prior to final grading approval.
3. Regional Standard Drawing D-40 Rip Rap energy Dissipater is also acceptable for velocity reduction.
4. Not all projects will have every waste identified. The applicant is responsible for identifying wastes that will be on-site and applying the appropriate BMP. For example, if concrete will be used, BMP WM-8 should be selected.
5. Alternative storm water protection measures, such as those listed in the CASQA Stormwater Best Management Practice Handbook, may also be presented for City consideration in any category.

TABLE B RECOMMENDED BMPs FOR USE IN CONJUNCTION WITH MINIMUM BMPs

Recommended Best Management Practices (BMPs)	Caltrans Handbook Detail	Check Selected BMP
Step 1 Site Development Considerations		
Scheduling	SS-1	
Preservation of Existing Vegetation	SS-2	
Vegetation Stabilization, Vegetation Buffer Strips	SS-2	
Physical Stabilization, Dust Control	WE-1	
Soil Stabilizers	SS-5	
Other (submit description for approval)		
Step 2 Diversion of Runoff		
Earthen Dikes	SS-9	
Ditches and Berms	SS-9	
Slope Drains	SS-11	
Temporary Drains & Swales	SS-9	
Step 3 Velocity Reduction		
Check Dams	SS-4	
Slope Terracing	-	
Step 4 Sediment Control		
Brush or Rock Filter	-	
Sediment Trap	SC-3	
Sediment Basin	SC-2	
Step 5 General Site Management		
Employee and Subcontractor Training	-	
Materials Management, Spill Prevention and Control	WM-4	
Waste Management, Contaminated Soil Management	WM-7	
Vehicle and Equipment Management: Vehicle and Equipment Cleaning	NS-8	
Vehicle and Equipment Fueling	NS-9	
Vehicle and Equipment Maintenance	NS-10	
Construction Practices: Water Conservation	NS-1	
Structure Construction and Painting	-	
Paving Operations	NS-3	
Dewatering Operations	NS-2	

Note: Alternative storm water protection measures may also be presented for City consideration in any category.

Section 3: Certification

The following certification must be signed before a Notice to Proceed with Construction will be issued.

I have read and understand that the City of Chula Vista has adopted minimum requirements for storm water management of construction activities. I certify that the BMPs I have selected in Tables A and B will be implemented to effectively minimize the potentially negative impacts of this project's construction activities on storm water quality. I further agree to install, monitor, maintain, and revise, if necessary, the selected BMPs to ensure their effectiveness.

I also understand that non-compliance with the City's Storm Water and Grading Ordinances may result in enforcement by the City including fines, citations, stop-work orders, cease and desist orders, and other enforcement actions.

Company Name: _____ Contractor's Name: _____

Contractor's Signature: _____ Date: _____